


## C\_BW4HANA\_27 Certification Overview - [Nov 05, 2022 Latest C\_BW4HANA\_27 PDF Dumps [Q49-Q70]



C\_BW4HANA\_27 Certification Overview - [Nov 05, 2022] Latest C\_BW4HANA\_27 PDF Dumps  
The Best SAP C\_BW4HANA\_27 Study Guides and Dumps of 2022

**Q49.** In which sequence does SAP recommen

\* 1. Transformations i-I 2. Reporting requirements

3. Sources of data

4. Storage requirements

\* 1. Reporting requirements

2. Sources of data 3. Transformations

4. Storage requirements

\* 1. Storage requirements

2. Transformations

3. Sources of data

4. Reporting requirements

\* 1. Transformations i-I 2. Sources of data

3. Reporting requirements

4. Storage requirements

for the data model design concept?

**Q50.** Which property settings can you assign for a characteristic? Note: There are 3 correct answers to this question.

- \* Useable as InfoProvider
- \* Authorization-Relevant
- \* High Precision
- \* Stock Coverage
- \* Attribute Only

**Q51.** You want to build Web-based dashboards with interactive visualizations. Which SAP tool do you suggest? (1)

- \* SAP Lumira, designer edition
- \* SAP Analysis for Microsoft Office
- \* SAP Analysis for OLAP
- \* SAP Crystal Reports for Enterprise

**Q52.** You need to integrate data from several SAP systems and non-SAP systems to support real-time analytics. Why do you recommend the SAP Landscape Transformation (SLT) Replication Server for real-time data replication into SAP HANA?

- \* The SLT Replication Server provides flexible multisystem support to manage data replication from SAP and non-SAP source systems.
- \* The SLT Replication Server provides log reader adapters for SAP and non-SAP sources.
- \* The SLT Replication Server installed on a productive SAP BW/4HANA system improves the data transfer process.
- \* Replication Server installation and configuration is always identical for SAP and non-SAP source systems.

**Q53.** You set up the 2LIS\_02\_ITM (Purchasing Line Item) data source in SAP ERP using the logistics cockpit. Afterward, you successfully run the initialization into SAP BW/4HANA.

Your delta load into SAP BW/4HANA shows zero records even though new purchase orders were created. How do you explain that the delta records do NOT appear in SAP BW/4HANA?

- \* A reinitialization for sales orders in SAP ERP was triggered using the logistics cockpit, which deleted the purchase order item initialization.
- \* All old purchase orders in SAP ERP were archived overnight before the delta loads.
- \* Purchasing extractors in SAP ERP were set up with Queued Delta update mode and the collective run job was NOT scheduled.
- \* Another SAP BW/4HANA system already picked up the new purchase orders using a delta load

**Q54.** Where can you apply a currency conversion? Note: There are 3 correct answers to this question.

- \* In an SAP BW/4HANA InfoSource
- \* In an SAP BW/4HANA transformation
- \* In an SAP HANA calculation view
- \* In an SAP BW/4HANA data transfer process (DTP)
- \* In a BW query

**Q55.** Which tables belong to the hierarchy for characteristic OCOUNTRY? Note: There are 3 correct answers to this question.

- \* /BIC/QCOUNTRY
- \* D/BIC/KCOUNTRY
- \* /BIC/ICOUNTRY
- \* /BIC/PCOUNTRY
- \* D/BIC/HCOUNTRY

**Q56.** Why should you run an SAP HANA delta merge? Note: There are 2 correct Answers to this question.

- \* To decrease memory consumption
- \* To combine the query cache from different executions
- \* To improve the read performance of InfoProviders
- \* To move the most recent data from disk to memory

**Q57.** You need to combine master data (right table) and transactional data (left table) using a referential join. How will this referential join behave?

- \* It is executed as an inner join when NO fields from the right table are requested.
- \* It always returns all fields from the right table as a result data set.
- \* It is executed as an inner join when a description mapping is defined between the left table and the u right table.
- \* It returns a result data set if the left table has a corresponding entry on the right table.

**Q58.** You can NOT turn a display attribute into a navigation attribute. Which setting of this attribute could be the reason? (2)

- \* Case-Sensitive
- \* High Cardinality
- \* Attribute Only
- \* Useable InfoProvider

**Q59.** You create an SAP HANA HDI Calculation View. What are some of the reasons to choose the data category Cube with Star Join instead of data category Dimension? Note: There are 3 correct Answers to this question.

- \* Persist transactional data.
- \* Combine master data and transactional data.
- \* Provide default time characteristics.
- \* Create restricted columns.
- \* Aggregate measures as a sum.

**Q60.** You loaded a 5 MB table from a source system to SAP BW/4HANA.

How do you explain that the size of the table is reduced to 1 MB?

- \* The target is defined as column store and a delta merge job was executed.
- \* The target is defined as row store and a delta merge job was executed.
- \* The target is defined as row store without delta merge execution.
- \* The target is defined as column store without delta merge execution.

**Q61.** Why should you run an SAP HANA delta merge? (2)

- \* To move most recent data from disk to memory
- \* To improve the read performance of InfoProviders
- \* To clear the BW query cache
- \* To decrease memory consumption

**Q62.** Which of the following settings can you define in a data transfer process (DTP) if you load data into a DataStore object

(advanced)?

There are 2 correct answers to this question.

- \* Data tiering
- \* Activation handling
- \* Parallel processing
- \* Extraction Mode

**Q63.** What are the key benefits of using the SAP Landscape Transformation Replication Server for data provisioning into SAP HANA? Note: There are 2 correct Answers to this question.

- \* Virtualization capabilities
- \* Support of cluster and pool tables
- \* Log-based replication
- \* Real-time and scheduled data replication

**Q64.** For a BW query, you want to have the first month of the current quarter as a default value for an input- ready BW variable for the characteristic 0CALMONTH. Which processing type do you use?

- \* Customer Exit
- \* Manual Input with default value
- \* Manual Input with offset value
- \* Replacement Path

**Q65.** In which ODP context is the operational delta queue (ODQ) managed by the target system?

- \* ODP\_BW
- \* ODP\_HANA
- \* ODP\_SAP
- \* ODP\_CDS

**Q66.** Which Objects Can you associate with a Source field in the Characteristics folder Of an Open ODS view type &#8220;Facts&#8221;? (2)

- \* Open ODS view type Master Data for Hierarchies
- \* Open ODS view type Master Data for Attributes
- \* SAP BW InfoObjects type Characteristic
- \* SAP BW InfoObjects type Key Figure

**Q67.** In a BW query with cells, you need to overwrite the initial definition of a cell. With which cell types can this be achieved?

Note: There are 2 correct Answers to this question.

- \* Formula cell
- \* Help cell
- \* Reference cell
- \* Selection cell

**Q68.** You created a generic DataSource in SAP ERP using a function module. Which manual activity could you perform to enable your generic DataSource to use as an ODP\_SAP DataSource in SAP BW/4HANA?

- \* Run program RODPS\_OS\_EXPOSE in SAP ERP for the DataSource
- \* Adapt the function module using transaction ODQMON
- \* Generate the PSA table of the DataSource in SAP BW/4HANA
- \* Release the DataSource in SAP BW/4HANA for ODP

**Q69.** You defined a condition in a BW query for the top 10 of 100 customers based on sales revenue (key figure of aggregation type

Sum). If you keep the default settings of the BW query, what is presented regarding the result rows?

- \* Only one result row with the sales revenue sum of the top 10 customers
- \* One result row with the sales revenue sum of the top 10 customers and a second result row with the sales revenue sum of the other 90 customers
- \* Only one result row with the sales revenue sum of all 100 customers
- \* One result row with the sales revenue sum of the top 10 customers and a second result row with the sales revenue sum of all 100 customers

**Q70.** You want to use the SAP HANA concept of semantic types as part of the currency conversion mechanism. You decide to use semantic type Amount with Currency Code within your SAP HANA calculation view. Which currency reference can be assigned to the measure? Note: There are 3 correct answers to this question.

- \* A fixed currency
- \* A currency from a currency conversion
- \* A currency from another column
- \* A currency from an SAP HANA content calculation view
- \* A currency from SAP BW customizing

### SAP C\_BW4HANA\_27 Exam Syllabus Topics:

TopicDetailsTopic 1- Integrate different sources to SAP HANA- Data Acquisition into SAP HANATopic 2- Use InfoObjects and InfoProviders with SAP BW- 4HANA 2.x- Create and execute a BW query with SAP BW- 4HANA 2.xTopic 3- Analyze data with analytics tools such as Lumira, SAC, and Analysis for Office- SAP BW- 4HANA Data FlowTopic 4- SAP BW Query Design- Describe native SAP HANA model options- InfoObjects and InfoProvidersTopic 5- Describe SAP BW- 4HANA 2.x model options and recommend best practice standards like LSA++- SAP BW- 4HANA ModelingTopic 6- Guide a SAP BW- 4HANA 2.x project- SAP BW- 4HANA Project and the Modeling ProcessTopic 7- Integrate different sources to SAP BW- 4HANA 2.x- Data Acquisition into SAP BW- 4HANA

### Valid C\_BW4HANA\_27 Exam Updates - 2022 Study Guide:

[https://www.validbraindumps.com/C\\_BW4HANA\\_27-exam-prep.html](https://www.validbraindumps.com/C_BW4HANA_27-exam-prep.html)]