


## Citrix Certified 1Y0-231 Dumps Questions Valid 1Y0-231 Materials [Q28-Q42]



Citrix Certified 1Y0-231 Dumps Questions Valid 1Y0-231 Materials  
Current 1Y0-231 Exam Dumps [2022] Complete Citrix Exam Smoothly

### Ending Notes

With the Citrix 1Y0-231 exam, one can have a smooth career start as a Citrix Networking Engineer. This validation hones the expertise of the test-takers at multiple levels and prepares them for real-time situations. While appearing for the actual exam is on your mind, don't underestimate the power of the training program endorsed by the certification vendor. It is instructor-led and imparts best-of-breed exam domain understanding. So, try it out and unlock your success.

### Citrix 1Y0-231 Exam Certification Details:

Number of Questions 70 Recommended Training / Books CNS-227: Deploy and Manage Citrix ADC 13.x with Citrix Gateway Sample Questions Citrix 1Y0-231 Sample Questions Exam Price \$200 USD Exam Name Deploy and Manage Citrix ADC 13 with Citrix Gateway (CCA-AppDS) Exam Code 1Y0-231 Passing Score 68% Duration 105 minutes

### QUESTION 28

What does a Citrix Administrator need to configure to allow access to Citrix Virtual Apps and Desktops without the use of a VPN or a clientless-access connection?

- \* Ciphers group
- \* SSL profile
- \* Net profile
- \* ICA proxy

### QUESTION 29

A Citrix ADC is connected with one network interface to the client network and another to the server network, ensuring that all traffic flows through the appliance.

Which type of deployment is this?

- \* Direct server return
- \* One-arm
- \* Bridge mode
- \* Two-arm

### QUESTION 30

Which scenario will cause automatic high availability (HA) synchronization to fail?

- \* Different build versions
- \* A configuration change to the primary Citrix ADC
- \* A forced failover
- \* Manually forced synchronization

Explanation/Reference: <https://support.citrix.com/article/CTX124439>

### QUESTION 31

A Citrix Administrator wants to customize the look of the landing page presented to users during the authentication process on Citrix ADC.

Which nFactor component should the administrator modify in this scenario?

- \* Logon Schema
- \* Pass-through factor
- \* Next factor
- \* NoAuth Policy

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/aaa-tm/authentication-methods/multi-factor-nfactor-authentication/nfactor-authentication-configuring.html>

### QUESTION 32

A Citrix Administrator wants to configure independent and isolated access on a single appliance to allow three different departments to manage and isolate their own applications.

What can the administrator configure to isolate department-level administration?

- \* Dedicated routes in the admin partitions for each department
- \* Admin partitions that use dedicated VLANs
- \* Policy-based routes for each department in the nsroot partition

- \* A VIP in each partition, and bind a VLAN for the department

### QUESTION 33

Which Citrix ADC service monitor can a Citrix Administrator use to test the three-way handshake between the Citrix ADC and the backend server?

- \* PING
- \* UDP
- \* LDAP
- \* TCP

### QUESTION 34

What can a Citrix Administrator configure to filter IPv4 addresses?

- \* Pattern set
- \* Data set
- \* Citrix Web App Firewall
- \* URL set

### QUESTION 35

After being audited, a Citrix Administrator learns that additional security enhancements should be made to one of the virtual servers.

Which two actions can the administrator perform to accomplish this? (Choose two.)

- \* Enable the TLSv1.2.
- \* Enable the RC4 cipher suite.
- \* Create a SHA1 key.
- \* Disable the SSLv3.

### QUESTION 36

A Citrix Administrator needs to deploy a Citrix ADC between the servers and the client, with servers only allowed to reach the client through the Citrix ADC.

In which mode should the administrator deploy the Citrix ADC?

- \* Inline
- \* Direct server return
- \* Transparent
- \* One-arm

### QUESTION 37

Scenario: A Citrix Administrator deployed a Citrix ADC in one-arm mode. Currently, the VLANs 20, 30, and

40

are tagged on the interface with the option of `tagall`;

What is true regarding the VLANs, when `tagall` is enabled on the interface?

- \* VLANs 1, 20, 30, 40, and HA packets are tagged on the interface.

- \* VLANS 20, 30, and 40 are tagged on the interface.
- \* VLANS 1, 20, 30, and 40 are tagged on the interface.
- \* VLANS 20, 30, 40, and HA packets are tagged on the interface.

### QUESTION 38

Scenario: A Citrix Administrator configured a new router that requires some incoming and outgoing traffic to take different paths through it. The administrator notices that this is failing and runs a network trace. After a short monitoring period, the administrator notices that the packets are still NOT getting to the new router from the Citrix ADC.

Which mode should the administrator disable on the Citrix ADC to facilitate the successful routing of the packets?

- \* Layer3
- \* USNIP
- \* MAC-based forwarding (MBF)
- \* USIP

### QUESTION 39

Scenario: A Citrix Administrator deployed a Citrix ADC in one-arm mode. Currently, the VLANs 20, 30, and 40 are tagged on the interface with the option of `tagall`;

What is true regarding the VLANs, when `tagall` is enabled on the interface?

- \* VLANS 1, 20, 30, 40, and HA packets are tagged on the interface.
- \* VLANS 20, 30, and 40 are tagged on the interface.
- \* VLANS 1, 20, 30, and 40 are tagged on the interface.
- \* VLANS 20, 30, 40, and HA packets are tagged on the interface.

### QUESTION 40

Scenario: A Junior Citrix Administrator needs to create a content switching virtual server on a Citrix ADC high availability (HA) pair. The NSIP addresses are 192.168.20.10 and 192.168.20.11. The junior administrator connects to NSIP address 192.168.20.10 and saves the changes.

The following day, a Senior Citrix Administrator tests the new content switching virtual server, but it is NOT working. The senior administrator connects to the HA pair and discovers that everything the junior administrator configured is NOT visible.

Why has the Citrix ADC lost the newly added configurations?

- \* The junior administrator made the changes and did NOT force a failover to save the configurations.
- \* The junior administrator connected to the NSIP of the secondary Citrix ADC in the HA pair.
- \* The Citrix ADC appliances have different firmware versions.
- \* Both Citrix ADCs in the HA pair restarted overnight.

### QUESTION 41

Which Citrix ADC platform offers an out-of-the-box, hardware-independent, multi-tenant solution?

- \* SDX
- \* CPX
- \* MPX
- \* VPX

## QUESTION 42

A Citrix Administrator configured a load-balancing virtual server to utilize the least bandwidth load-balancing method. A service attached to this virtual server is brought into the effective state during production hours.

During the startup of a virtual server, which load-balancing method is used by default?

- \* Round-robin
- \* Least connections
- \* Least bandwidth
- \* Custom load

**1Y0-231 Premium PDF & Test Engine Files with 72 Questions & Answers:**

<https://www.validbraindumps.com/1Y0-231-exam-prep.html>