


[2022 C_HCDEV_01.pdf - Questions Answers PDF Sample Questions Reliable [Q19-Q33]



[2022] C_HCDEV_01.pdf - Questions Answers PDF Sample Questions Reliable [Q19-Q33]

[2022] C_HCDEV_01.pdf - Questions Answers PDF Sample Questions Reliable
SAP C_HCDEV_01 Dumps PDF Are going to be The Best Score

SAP C_HCDEV_01 Certification Exam Topics:

Topic Areas Topic Details, Courses, Books **SAP HANA Cloud, Modeling, and Administration Basics 8% - 12%** Describe the basic concepts and components of SAP Business Technology Platform and SAP HANA Cloud. Understand the basics of administration and data modeling. - HC100e **Source Control Using Git 8% - 12%** Explain the use of Git as a source control system. - HC450e **Application Development using the SAP Cloud Application Programming Model 8% - 12%** Explain the SAP Cloud Application Programming Model and the tools used for application development with SAP HANA Cloud. - HC450e **Application Security 8% - 12%** Describe basic concepts of authorizations in a Cloud Foundry application and in Cloud Application Programming. Maintain application security in a multi-target application (MTA) project. - HC450e **SQLScript Development < 8%** Explain the advantages and usage of SQLScript. Create and debug a SQLScript procedure. - HC450e **Persistence Data Model Creation and Deployment > 12%** Explain the basic concepts of Core Data Services (CDS) such as Core Data Services entity, Core Data Services context, Core Data Services association, and Core Data Services view. Explain the deployment options of the persistence models. - HC450e

QUESTION 19

Which sequence of steps do you follow to enable the SAP Job Scheduling service to work with a new application?

- * Create an instance of the SAP Job Scheduling service.Create an xsuaa service instance.Deploy the application.Bind the SAP Job Scheduling service instance to your application.Bind the xsuaa service instance to your application.
- * Create an instance of the SAP Job Scheduling service.Create an xsuaa service instance.Deploy the application.Bind the xsuaa service instance to your application.Bind the SAP Job Scheduling service instance to your application.
- * Create an instance of the SAP Job Scheduling service.Create an xsuaa service instance.Bind the xsuaa service instance to your application.Bind the SAP Job Scheduling service instance to your application.Deploy the application.
- * Create an instance of the SAP Job Scheduling service.Create an xsuaa service instance.Bind the SAP Job Scheduling service instance to your application.Bind the xsuaa service instance to your application.Deploy the application.

QUESTION 20

Why would you create a calculation view?

- * To define a function that can be consumed by SQL
- * To define data distribution rules
- * To store layers of pre-aggregated results
- * To define a virtual modeling layer on top of tables

QUESTION 21

What extension is created for the runtime object when using files under the data folder during the Build activity?

- * .hdbdatatable
- * .cdstabledata
- * .hdbtabledata
- * .hdbtable

QUESTION 22

You want to implement an event handler to show a console log once a supplier record is read.What is the correct syntax to implement this?

- * `const cds = require('@sap/cds');module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.after('each',Supplier, row =>{ console.log(`Read Supplier: ${row.ID}`)}})`
- * `const cds = require('@sap/cds');module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.after('each',Supplier, row =>{ output.log(`Read Supplier: ${row.ID}`)}})`
- * `const cds = require('@sap/cds');module.exports = cds.service.impl(function () { const {Supplier} = this.entities()this.on('each',Supplier, row =>{ output.log(`Read Supplier: ${row.ID}`)}})`
- * `const cds = require('@sap/cds');module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.on('each',Supplier, row =>{ console.log(`Read Supplier: ${row.ID}`) }})`

QUESTION 23

Which method can you use to collect error messages with high severity and return them to the caller in the request-response?

- * `req.reply`
- * `req.reject`

- * req.notify
- * req.error

QUESTION 24

Which file in a Multi-Target Application (MTA) project contains the plugin name and version of every supported file suffix?

- * .hdbsynonymconfig
- * .hdbprojectiononviewconfig
- * .hdiconfig
- * .hdinamespace

QUESTION 25

Which feature of domain modeling can you use to model document structures through contained-in relationships?

- * Associations
- * Entities
- * Namespace
- * Compositions

QUESTION 26

Which Core Data Services (CDS) object type can you use to read and write data for an application?

- * Entity
- * Composition
- * Namespace
- * Types

QUESTION 27

Which design time files can you create in an SAP HANA database module?Note: There are 3 correct Answers to this question.

- * .hdbcalculationview
- * .yaml
- * .hdbprocedure
- * .hdinamespace
- * .cds

QUESTION 28

According to the golden path for the SAP Cloud Application Programming Model, what does the framework do when you add custom logic?Note: There are 2 correct Answers to this question.

- * Parse output.
- * Include tenant isolation.
- * Serialize inputs.
- * Handle database connections.

QUESTION 29

How do you debug a Node.js module in SAP Business Application Studio?

- * Attach the debugger to the application.
- * Add the sap.hana.xs.debugger::Debugger role to the HDI container's #RT user.

- * Set the enabled parameter to true in the section debugger of the xsengine.ini file.
- * Start the debugger from the CF command line interface and run the program.

QUESTION 30

To which authorization objects can the SAP HANA Cloud Administrator assign business users?

- * Role-collections
- * Scopes
- * Authorizations
- * Role-templates

QUESTION 31

What can you specify as <phase> in the statement srv.<phase>(<event>)? Note: There are 2 correct Answers to this question.

- * end
- * before
- * after
- * begin

QUESTION 32

You are using Core Data Services (CDS) to define the persistence layer in SAP Business Application Studio. Which folder of the project do you use to create the design time files?

- * srv
- * db
- * src
- * web

QUESTION 33

In a SQLScript procedure, which feature can you use to initialize IN/OUT table parameters?

- * SET
- * IS_EMPTY
- * DEFAULT EMPTY
- * DEFAULT

Use C_HCDEV_01 Exam Dumps (2022 PDF Dumps) To Have Reliable C_HCDEV_01 Test Engine:

https://www.validbraindumps.com/C_HCDEV_01-exam-prep.html