

## Get The Most Updated C-C4H620-24 Dumps To SAP Certified Development Associate Certification [Q44-Q63]



## Get The Most Updated C-C4H620-24 Dumps To SAP Certified Development Associate Certification [Q44-Q63]

**Get The Most Updated C-C4H620-24 Dumps To SAP Certified Development Associate Certification SAP Certified C-C4H620-24 Dumps Questions Valid C-C4H620-24 Materials Q44.** You want to conditionally show a field based on the value of another field. What is the recommended approach for doing this when using Screen-Sets?

- \* Use the Success Screen property.
- \* Use the Validity Indication property.
- \* Use the Visible When property.
- \* Set the field to be required in the schema.

**Q45.** How would you grant someone access to your Partner?

- \* By adding them to the list of authorized Console users inside RaaS site settings
- \* By sending them an e-mail with the link to your Partner sign-up form
- \* By inviting them via the Invite Administrator feature of the Admin
- \* By requesting they be granted access using the access request portal

**Q46.** You are editing an IdentitySync dataflow. Which actions can you perform? Note: There are 2 correct answer to this question

- \* Use the datasource.lookup component to check if a record exists in SAP Customer Data Cloud.
- \* Preview the schema in a datasource component.

- \* Add multiple Next steps to a component.
- \* Add a component responsible for starting the schedule of the dataflow.

**Q47.** When validating a JWT, what must you check to ensure that you are using the right public key?

- \* The issuer in the JWT header is the same as the issuer of the public key.
- \* The signature of the JWT is the same length as the public key signature.
- \* The expiration time of the JWT is within the expiration time defined in the public key.
- \* The keyid in the JWT header matches the keyid of the public key.

**Q48.** What must you do in the SAP Customer Data Cloud Console in order to use an API key with a mobile application?

- \* Enable mobile SSO for the API key.
- \* Grant mobile access to the permission group of your application key.
- \* Add the mobile application bundle and package name to the list of trusted sites.
- \* Enable mobile application API access permission.

**Q49.** You are setting up a new webhooks endpoint and you would like to retrieve the profile object on receipt of the `&#8220;Account logged in&#8221;` notification. What method would you recommend?

- \* `accounts.search` with `&#8216;SELECT profile FROM emailAccounts WHERE profile.email= $email from notification&#8217;`
- \* `accounts.getAccountInfo` with UID from notification
- \* Use the profile object sent in the notification payload
- \* `accounts.search` with `&#8216;SELECT profile FROM account WHERE profile.email= $email from notification&#8217;`

**Q50.** You want to enable social login on your site. What is recommended to be configured in the Site Settings menu in the Console?

- \* SAML SSO URL
- \* OpenID Connect client ID
- \* Bit.ly URL shortening
- \* Domain alias (CNAME)

**Q51.** What are the recommended methods for adding dynamic data to a consent record? Note: There are 2 correct answer to this question

- \* Custom data
- \* Placeholders
- \* Entitlements
- \* Tags

**Q52.** What does progressive profiling enable you to do?

- \* Automatically sign in across digital properties.
- \* Add fields to the profile schema.
- \* Incrementally collect profile data over time.
- \* Convert a lite registration to a full account.

**Q53.** What is the goal of permission groups?

- \* Define the privileges of Console users and applications.
- \* Define the data returned by social networks.
- \* Define which access the delegated admin can assign in CIAM for B2B.
- \* Define the privileges of the mobile SOK.

**Q54.** Which of the following keys are required to add a data object to the Data Store? Note: There are 2 correct answer to this question

- \* field

- \* oid
- \* type
- \* uid

**Q55.** In an OIDC implementation, what endpoint manages consents for returned claims?

- \* The client-side Authorize endpoint
- \* The server-side Partner endpoint
- \* The server-side Authorize endpoint
- \* The client-side Partner endpoint

**Q56.** The account progression policy is set to automatic and a user registers a full account with the same e-mail as an existing lite account. What happens to the lite account data?

- \* Only subscription data is copied into the full account.
- \* All data, including data provided during full registration, is copied into the full account.
- \* Only profile and custom data are copied into the full account.
- \* Any data that is NOT provided during the full registration are copied into the full account.

**Q57.** Which of the following screens are part of the default Profile Update Screen-Set? Note: There are 3 correct answer to this question

- \* Privacy
- \* Mandatory Password Change
- \* Communication
- \* Change Password
- \* Link Accounts

**Q58.** On which data point is account linking triggered?

- \* Phone number
- \* Username
- \* E-mail address
- \* First name

**Q59.** What are you able to configure inside your RaaS site settings on the Console? Note: There are 2 correct answer to this question

- \* The domain alias or CNAME
- \* The SMTP address of your e-mail server
- \* The e-mail address of the site administrator
- \* The list of trusted site URLs

**Q60.** Where in the schema do social networks store data about a newly registered user?

- \* In the profile schema
- \* In the data schema
- \* In the profile and data schema
- \* In the subscription schema

**Q61.** What is a best practice to overcome browsers that block third-party cookies to utilize SSO across domains?

- \* Use a parent/child site group.
- \* Use an SSO segment.
- \* Use a centralized login domain.
- \* Add all your domains in trusted sites.

**Q62.** How can you execute a dataflow to run on a regular basis? Note: There are 2 correct answer to this question

- \* Make an API call to the idx.createScheduling endpoint.
- \* Add the schedule through the Identity Query Tool of the Console.
- \* Add the schedule through the dataflow scheduler of the Console.
- \* Make an API call to the idx.setDataflow endpoint.

**Q63.** You are trying to export subscription data by executing the accounts.search API with the following query: `SELECT* FROM liteAccounts`. You are receiving an error. Which query would result in a successful response?

- \* `SELECT* FROM subscriptionAccounts`
- \* `SELECT* FROM emailAccounts`
- \* `SELECT* FROM newsletterAccounts`
- \* `SELECT* FROM preferenceAccounts`

**C-C4H620-24 Premium PDF & Test Engine Files with 82 Questions & Answers:**  
<https://www.validbraindumps.com/C-C4H620-24-exam-prep.html>