
Free D-NWR-DY-01 Exam Braindumps - New 2025 EMC Pratice Exam [Q209-Q228



Free D-NWR-DY-01 Exam Braindumps - New 2025 EMC Pratice Exam Practice Test for D-NWR-DY-01 Certification Real 2025 Mock Exam

Q209. What is a consideration when configuring a client backup with Checkpoint Restart enabled?

- * Can be used when parallel save streams are enabled
- * Cannot be used on Windows hosts
- * Cannot enable at the file level granularity for Linux hosts
- * Can be used for NMC database backup

Q210. Which Microsoft VSS component gathers information to properly save applications, services, or files in a filesystem?

- * Provider
- * Requestor
- * Writer
- * Interceptor

Q211. Which Microsoft VSS component ensures that the application data is consistent when a shadow copy is created?

* Writer

This page was exported from - <u>Free valid test braindumps</u> Export date: Sat Apr 12 14:35:15 2025 / +0000 GMT

- * Requestor
- * Provider
- * Interceptor

Q212. A backup administrator wants to verify that data was successfully written to an AFTD.

Which window in NMC would the administrator select to go gather this information?

- * Media
- * Devices
- * Configuration
- * Monitoring

Q213. An EMC NetWorker administrator wants to perform an online backup of Lotus Domino Server running on Windows 2008 Operating System.

Which solution should be used?

- * Install the EMC NetWorker Module for Databases and Applications on the Domino host.
- * Install the EMC NetWorker Module for Microsoft Applications on the Domino host.
- * Install the EMC NetWorker Client which can utilize the VSS technology of Windows 2008.
- * Install the EMC NetWorker Client which can utilize the savepnpc feature.

Q214. In an EMC NetWorker environment, a Lotus Notes backup just failed.

To make sure the Lotus Notes NetWorker client is properly configured, what should be checked?

- * The Lotus Notes client name is set to the Lotus Notes database instance.
- * The Backup command attribute for the Lotus Notes client is set to nsrnotesy.
- * The Apps and Modules remote user and password fields are blank.
- * The client directive attribute is set to "Lotus Notes".

Q215. What is the purpose of EMC NetWorker's retention policy?

- * Determines the minimum length of time save set entries are maintained in the media database
- * Determines the minimum length of time file entries are maintained in the CFI
- * Indicates whether or not a save set is browsable
- * Indicates when a media pool will be deleted

Q216. Which NetWorker daemon or process generated on each Storage Node is responsible to manage all device operations?

- * nsrmmd
- * nsrsnmd
- * nsrlcpd
- * nsrd

Q217. A customer's EMC NetWorker environment has a Solaris client that had been backing up without failing for several weeks.

The client has the following local mount points:

/usr

- * Event
- * Alert
- * Priority
- * Action

Q220. A Dell EMC Networker backup is configured as a probe-based backup.

What must be configured in the workflow for this backup?

This page was exported from - <u>Free valid test braindumps</u> Export date: Sat Apr 12 14:35:15 2025 / +0000 GMT

- * Probe and backup actions
- * Backup and clone actions
- * Probe action only
- * Check Connectivity and probe actions

Q221. In an EMC NetWorker environment, a clone volume (physical tape) required for a recovery is not currently mounted.

Which attribute is consulted first to determine the storage node used for the recovery?

- * Client's "Recover Storage Node"
- * Client's "Clone Storage Node"
- * Client's "Storage Node"

* Jukebox "Read Host Name"

Q222. By default, what is the username for the NMC server database in Dell EMC NetWorker?

- * admin
- * administrator
- * postgres
- * networker

Q223. What is the command to start all of the EMC NetWorker processes on a UNIX server?

- * networker start
- * ./networker
- * networker-start
- * /proc/networker

Q224. Which type of computing and storage environments does EMC NetWorker protect?

- * NAS, SAN, DAS, and WAN
- * SAN, NAS, DNS, and LAN
- * LAN, SAN, DAS, and NIS
- * DAS, DNS, SAN, and WAN

Q225. A backup administrator wants to exclude all user temp directories during backups.

How can this be implemented using EMC NetWorker?

- * Exclude the files using a NetWorker directive
- * Create a backup_exclusion file
- * Specify each file to exclude in the client resource
- * Specify only the files to back up in the client save set attribute

Q226. What is the function of Persistent Binding in an EMC NetWorker SAN environment?

- * Prevent device target-id changes
- * Prevent WWPN changes
- * Prevent silent SCSI bus resets
- * Prevent a tape label/barcode mismatch

Q227. You need to back up the following Microsoft Windows components:

– All critical volumes

– Windows roles and features

– System reserved partition

– UEFI partition (if available)

Which Dell EMC NetWorker save set should be used?

- * ALL LOCAL DRIVES
- * C:
- * DISASTER_RECOVERY:
- * ALL-DFSR

This page was exported from - $\underline{Free\ valid\ test\ braindumps}$ Export date: Sat Apr 12 14:35:15 2025 / +0000 GMT

Q228. Which EMC NetWorker	process reads and mana	ages the port rang	ge information?

- * nsrexecd
- * nsrstat
- * nsrmmd
- * nsrd

Prepare For Realistic D-NWR-DY-01 Dumps PDF - 100% Passing Guarantee:

 $\underline{https://www.validbraindumps.com/D-NWR-DY-01-exam-prep.html}]$